



Emergency Power Back-up




Flexible Installation




Cost-effective



Expandable



Peak Load Shifting



## Residential Battery Pack


System Total Energy: 5.12kWh

Tel: +(0086) 400-101-8585

E-mail: [service@sylbattery.com](mailto:service@sylbattery.com)

Web: [www.sylbattery.com](http://www.sylbattery.com)

Add: No.23 Xingke Middle Road, Meilin Street, Ninghai County, Ningbo City, Zhejiang Province, China



**SOLSOL**

SOLSOL s.r.o.  
Králova 298/4, Brno 616 00, Česká republika  
Tel: +420 774 419 119, E-mail: [novak@solsol.cz](mailto:novak@solsol.cz)  
[www.solsol.cz](http://www.solsol.cz)

**SYL**

## Technical Specification

### Item

### Specification

System Model	SBL5.1K2
--------------	----------

### Pack Specification

Nameplate Capacity	5.12kWh
Usable Energy	4.8kWh
Nominal Power	2.56kW
Max. Number in Parallel	5
Battery Chemistry	LFP
Nominal Voltage	51.2V
Voltage Range	46.4 ~ 57.6V
Dimension (W×H×D)	371×645×206mm
Weight	53.5kg
Communication Protocol	CAN2.0 / RS485
IP Rating	IP65
Charge & Discharge Temperature Range	0 ~ 55°C
Charge & Discharge Current (Continuous/max.,amps)	50/55A
Design Life	10years
Cooling Method	Natural Air
Mounting	Ground or Wall
Warranty	(90% DOD, 25°C) ≥ 5000 cycles
Certificate	IEC62619, IEC62040, IEC61000, CEC

## Application Scenarios

